

IMEX


ABOUT BATH EQUIPMENTS




NEW 2026

IMEX

ABOUT BATH EQUIPMENTS





about bathroom_

IM

AB

Why can w

IMEX

ABOUT

IMEX, LEDIMEX,
POOLIMEX, MEDIMEX, SB_X.
THE RAISON D'ÊTRE OF THE
IMEX GROUP IS TO PROVIDE
RESOURCES AND TOOLS TO
ITS CUSTOMERS, IN ORDER TO
DIFFERENTIATE THEMSELVES FROM
THEIR COMPETITION

IMEX

ABOUT TAPS

LEDIMEX

ABOUT MIRRORS

MEDIMEX

ABOUT ACCESSORIES

POOLIMEX

ABOUT POOLS

SB_X

ABOUT SHOWER ENCLOSURES

D.

Diversity Plurality

We have a wide range of
variety of products to
adjust to the trends and needs
of consumers

P.

Stable Price

We maintain a permanent review
of our processes to always offer
excellent value for money.

EX

OUT

How can we help you?

L.

Logistics Immediacy

Intelligent logistics equipped with the latest technology allows us to deliver the product in optimum time to our customers

C.

Consistent Quality

In order to always be able to offer quality products, we are in constant reflection and analysis in order to improve them.



WITH IMEX GROUP




MORE DIVERSITY
MORE TECHNOLOGY
MORE MATERIALS
MORE DIMENSIONS
MORE FINISHES
MORE SOLUTIONS.

TO CREATE SPACES
WITH CHARACTER
THAT STAND OUT

BE YOU
BE DIFFERENT

The MIX&MATCH rule combines the products from Sb_X, Imex, Medimex and Ledimex to create interiors with personality.

BE
YOU
BE
DIFFERENT.
IMEX ABOUT. HELPING YOU.



IMEX
LINE SERIES
High basin faucet
BLACK GUN METAL

LEDIMEX
PARIS SERIES
Round mirror
BRUSHED ROSE GOLD

MEDIMEX
TIME SERIES
Towel rack
BLACK GUN METAL

MEDIMEX
TIME SERIES
Roll holder
BRUSHED ROSE GOLD

IMEX
OLIMPO SERIES
Basin faucet
BRUSHED ROSE GOLD

SB_X
STYLO SERIES
Shower enclosure
BLACK GUN METAL / BRUSHED ROSE GOLD

LEDIMEX
ABILITY SERIES
Square mirror
MATT BLACK

MEDIMEX
PRACTIC SERIES
Hanger
CHROME / BGM / BRUSHED
ROSE GOLD



High capacity of stock and logistics

HIGH PRODUCTION AND STORAGE CAPACITY, WHICH ALLOWS US TO HAVE THOUSANDS OF UNITS IN STOCK




HIGH PRODUCTION EFFICIENCY ALLOWS US TO OFFER COMPETITIVE PRICES ON THE MARKET

A photograph of a large industrial warehouse interior. The space is filled with tall, multi-tiered metal shelving units (pallet racks) that stretch far into the distance. The racks are densely packed, and some have white pallets or boxes on them. The lighting is bright, coming from overhead fixtures, creating a sense of depth and scale. The overall color palette is dominated by the metallic grays and blues of the shelving, with some white highlights from the pallets and lights.

LOGISTICS

Express service



OUR EXPRESS SERVICE GUARANTEES DELIVERY OF THE PRODUCTS IN A SHORT TIME, ENSURING THE SPEED AND EFFICIENCY CUSTOMERS NEED

After-sales service



EXCELLENT AFTER-SALES SERVICE, ADVICE AND/OR MAINTENANCE

STICS



Index_

Monza - Tivoli Series
012-063



Toscana - Arezzo Series
064-133



Firenze - Sassari Series
134-197



Bless - Palau Series
198-251



Genova - Piamonte Series
252-305



Bolonia Series
306-309



Inari Series
310-313



Azores Series
314-317



Complements
318- 339



MONZA

SERIES





MONZA

SERIES






MONZA

Series



Single-lever shower set.

Stainless steel S.304 telescopic bar.
 Stainless steel S.304 shower head Ø20 cm, extra flat design and antilime system.
 Elevated adjustable support handle.
 Round 1 position shower hand.
 Single-lever with integrated flow-diverter.
 Medium flow rate 12 l/min.
 Hose 150cm.
 Single-lever ceramic cartridge Ø35 mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

MONZA

Series

Ref.: **BDM039**

Single-lever shower set.
Chrome finish.



Ref.: **BDM039/BGM**

Single-lever shower set.
Black gun metal finish.



Ref.: **BDM039/NG**

Single-lever shower set.
Matt black finish.



Ref.: **BDM039/NQ**

Single-lever shower set.
Brushed nickel finish.



Ref.: **BDM039/OC**

Single-lever shower set.
Brushed gold finish.



Ref.: **BDM039/ORC**

Single-lever shower set.
Brushed rose gold finish.




MONZA

SERIES



MONZA

Series



Thermostatic shower set.

Stainless steel S.304 telescopic bar.
 Stainless steel S.304 shower head Ø20 cm, extra flat design and antilime system.
 Elevated adjustable support handle.
 Round 1 position shower hand.
 Thermostatic with integrated flow-diverter
 Medium flow rate 12 l/min.
 Hose 150cm.
 Thermostatic cartridge TURN CLEAN SYSTEM.

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009 UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009 UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009 UNE-EN 1111:2018

MONZA

Series

Ref.: **BTM039**

Thermostatic shower set.
Chrome finish.



Ref.: **BTM039/BGM**

Thermostatic shower set.
Black gun metal finish.



Ref.: **BTM039/NG**

Thermostatic shower set.
Matt black finish.



Ref.: **BTM039/NQ**

Thermostatic shower set.
Brushed nickel finish.



Ref.: **BTM039/OC**

Thermostatic shower set.
Brushed gold finish.



Ref.: **BTM039/ORC**

Thermostatic shower set.
Brushed rose gold finish.



MONZA

SERIES



MONZA

Series



Single-lever basin.

Single-lever basin.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

Ref.: **BDM039-1**

Single-lever basin.
Chrome finish.



Ref.: **BDM039-1BGM**

Single-lever basin.
Black gun metal finish.



Ref.: **BDM039-1NG**

Single-lever basin.
Matt black finish.



Ref.: **BDM039-1NQ**

Single-lever basin.
Brushed nickel finish.




Ref.: **BDM039-1OC**

Single-lever basin.
Brushed gold finish.




Ref.: **BDM039-1ORC**

Single-lever basin.
Brushed rose gold finish.



Product sizes (cm)	30 x 21 x 5,9
Weight (leg)	0.938
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



MONZA

Series



Single-lever bidet.

Single-lever bidet.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

Ref.: **BDM039-2**

Single-lever bidet.
Chrome finish.



Ref.: **BDM039-2BGM**

Single-lever bidet.
Black gun metal finish.



Ref.: **BDM039-2NG**

Single-lever bidet.
Matt black finish.



Ref.: **BDM039-2NQ**

Single-lever bidet.
Brushed nickel finish.




Ref.: **BDM039-2OC**

Single-lever bidet.
Brushed gold finish.




Ref.: **BDM039-2ORC**

Single-lever bidet.
Brushed rose gold finish.




Product sizes (cm)	26.7 x 18.1 x 5,9
Weight (leg)	0.885
Guarantee	5 years
Max. preassure (bar)	5
Min. preassure (bar)	0.5
Optimum preassure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



MONZA


SERIES





MONZA

Series



Single-lever high basin.

Single-lever high basin.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

Ref.: **BDM039-3**

Single-lever high basin.
Chrome finish.



Ref.: **BDM039-3NQ**

Single-lever high basin.
Brushed nickel finish.



Ref.: **BDM039-3BGM**

Single-lever high basin.
Black gun metal finish.



Ref.: **BDM039-3OC**

Single-lever high basin.
Brushed gold finish.




Ref.: **BDM039-3NG**

Single-lever high basin.
Matt black finish.




Ref.: **BDM039-3ORC**

Single-lever high basin.
Brushed rose gold finish.



Product sizes (cm)	39 x 21 x 5,9
Weight (leg)	1.153
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



MONZA

SERIES





MONZA

Series



Concealed single-lever basin.

Concealed single-lever faucet.
Brass body.
In two independent parts.
Concealed body directly into the wall.
Without register box.
Ceramic cartridge Ø35 mm.

Ref.: **GLM039**

Concealed single-lever basin.
Chrome finish.



Ref.: **GLM039/BGM**

Concealed single-lever basin.
Black gun metal finish.



Ref.: **GLM039/NG**

Concealed single-lever basin.
Matt black finish.



Ref.: **GLM039/NQ**

Concealed single-lever basin.
Brushed nickel finish.





Ref.: **GLM039/OC**

Concealed single-lever basin.
Brushed gold finish.




Ref.: **GLM039/ORC**

Concealed single-lever basin.
Brushed rose gold finish.



Product sizes (cm)	29 x 17,6 x 6,7
Weight (leg)	1,1
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0,5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C


TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018





MONZA

SERIES




MONZA

Series



Single-lever bath/shower kit.

- Bath/shower kit faucet.
- Wall bracket adjustable ABS shower hand support.
- Round 1 position shower hand.
- Hose 180cm.
- Medium flow rate 12 l/min.
- Single-lever ceramic cartridge $\varnothing 35$ mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

MONZA

Series

Ref.: **BDM039-4**

Single-lever bath/shower kit.
Chrome finish.



Ref.: **BDM039-4BGM**

Single-lever bath/shower kit.
Black gun metal finish.



Ref.: **BDM039-4NG**

Single-lever bath/shower kit.
Matt black finish.



Ref.: **BDM039-4NQ**

Single-lever bath/shower kit.
Brushed nickel finish.



Ref.: **BDM039-4OC**

Single-lever bath/shower kit.
Brushed gold finish.



Ref.: **BDM039-4ORC**

Single-lever bath/shower kit.
Brushed rose gold finish.




MONZA

Series



Thermostatic bath/shower kit.

Bath/shower kit faucet.
 Wall bracket adjustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Thermostatic cartridge TURN CLEAN SYSTEM.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

MONZA

Series

Ref.: **BTM039-4**

Thermostatic bath/shower kit.
Chrome finish.



Ref.: **BTM039-4BGM**

Thermostatic bath/shower kit.
Black gun metal finish.



Ref.: **BTM039-4NG**

Thermostatic bath/shower kit.
Matt black finish.



Ref.: **BTM039-4NQ**

Thermostatic bath/shower kit.
Brushed nickel finish.



Ref.: **BTM039-4OC**

Thermostatic bath/shower kit.
Brushed gold finish.



Ref.: **BTM039-4ORC**

Thermostatic bath/shower kit.
Brushed rose gold finish.





MONZA

SERIES




MONZA

Series



Single-lever shower kit.

Shower kit faucet.
 Wall bracket adjustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Single-lever ceramic cartridge $\varnothing 35$ mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

MONZA

Series

Ref.: **BDM039-5**

Single-lever shower kit.
Chrome finish.



Ref.: **BDM039-5BGM**

Single-lever shower kit.
Black gun metal finish.



Ref.: **BDM039-5NG**

Single-lever shower kit.
Matt black finish.



Ref.: **BDM039-5NQ**

Single-lever shower kit.
Brushed nickel finish.



Ref.: **BDM039-5OC**

Single-lever shower kit.
Brushed gold finish.



Ref.: **BDM039-5ORC**

Single-lever shower kit.
Brushed rose gold finish.




MONZA

Series



Thermosatic shower kit.

Shower kit faucet.
 Wall bracket ajustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Thermostatic cartridge TURN CLEAN SYSTEM.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

MONZA

Series

Ref.: **BTM039-5**

Thermostatic shower kit.
Chrome finish.



Ref.: **BTM039-5BGM**

Thermostatic shower kit.
Black gun metal finish.



Ref.: **BTM039-5NG**

Thermostatic shower kit.
Matt black finish.



Ref.: **BTM039-5NQ**

Thermostatic shower kit.
Brushed nickel finish.



Ref.: **BTM039-5OC**

Thermostatic shower kit.
Brushed gold finish.



Ref.: **BTM039-5ORC**

Thermostatic shower kit.
Brushed rose gold finish.



MONZA


SERIES





MONZA

Series



Single-lever concealed shower.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.

Wall outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.


Brass round distributor.

Hose 150cm.

Ceramic single-lever cartridge Ø35 mm.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



MONZA

Series

Ref.: **GPM039**

Single-lever concealed shower.
Chrome finish.



Ref.: **GPM039/BGM**

Single-lever concealed shower.
Black gun metal finish.



Ref.: **GPM039/NG**

Single-lever concealed shower.
Matt black finish.



Ref.: **GPM039/NQ**

Single-lever concealed shower.
Brushed nickel finish.



Ref.: **GPM039/OC**

Single-lever concealed shower.
Brushed gold finish.



Ref.: **GPM039/ORC**

Single-lever concealed shower.
Brushed rose gold finish.



TIVOLI

Series



Single-lever concealed shower.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.

Ceiling outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.


Brass round distributor.

Hose 150cm.

Ceramic single-lever cartridge Ø35 mm.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



Ref.: **GPT039**

Single-lever concealed shower.
Chrome finish.



Ref.: **GPT039/BGM**

Single-lever concealed shower.
Black gun metal finish.



Ref.: **GPT039/NG**

Single-lever concealed shower.
Matt black finish.



Ref.: **GPT039/NQ**

Single-lever concealed shower.
Brushed nickel finish.



Ref.: **GPT039/OC**

Single-lever concealed shower.
Brushed gold finish.



Ref.: **GPT039/ORC**

Single-lever concealed shower.
Brushed rose gold finish.



MONZA

SERIES





MONZA

Series



Thermostatic concealed shower.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.

Wall outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.


Brass round distributor.

Hose 150cm.

Thermostatic cartridge TURN CLEAN SYSTEM.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



MONZA

Series

Ref.: **GTM039**

Thermostatic concealed shower.
Chrome finish.



Ref.: **GTM039/BGM**

Thermostatic concealed shower.
Black gun metal finish.



Ref.: **GTM039/NG**

Thermostatic concealed shower.
Matt black finish.



Ref.: **GTM039/NQ**

Thermostatic concealed shower.
Brushed nickel finish.



Ref.: **GTM039/OC**

Thermostatic concealed shower.
Brushed gold finish.




Ref.: **GTM039/ORC**

Thermostatic concealed shower.
Brushed rose gold finish.



TIVOLI

Series



Thermostatic concealed shower.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.

Ceiling outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.


Brass round distributor.

Hose 150cm.

Thermostatic cartridge TURN CLEAN SYSTEM.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



Ref.: **GTT039**

Thermostatic concealed shower.
Chrome finish.



Ref.: **GTT039/BGM**

Thermostatic concealed shower.
Black gun metal finish.



Ref.: **GTT039/NG**

Thermostatic concealed shower.
Matt black finish.



Ref.: **GTT039/NQ**

Thermostatic concealed shower.
Brushed nickel finish.



Ref.: **GTT039/OC**

Thermostatic concealed shower.
Brushed gold finish.





Ref.: **GTT039/ORC**

Thermostatic concealed shower.
Brushed rose gold finish.



MONZA

Series



1 way set - shower head.

Stainless steel S.304 Ø250 mm, extra flat and antilime system shower head.

Wall outlet tube.

Brass body.

Medium flow rate 12 l/min.

Ceramic single-lever cartridge Ø35 mm.

MONZA

Series

Ref.: **SRM039**

1 way set - shower head.
Chrome finish.



Ref.: **SRM039/BGM**

1 way set - shower head.
Black gun metal finish.



Ref.: **SRM039/NG**

1 way set - shower head.
Matt black finish.



Ref.: **SRM039/NQ**

1 way set - shower head.
Brushed nickel finish.



Ref.: **SRM039/OC**

1 way set - shower head.
Brushed gold finish.




Ref.: **SRM039/ORC**

1 way set - shower head.
Brushed rose gold finish.



MONZA

Series



1 way set - bar support handle.

Stainless steel S.304 round bar with water inlet.
Elevated adjustable support handle.
1 position shower hand.
Brass single-lever faucet.
Medium flow rate 10 l/min.
Hose 150cm.
Single-lever ceramic cartridge $\varnothing 35$ mm.

MONZA

Series

Ref.: **SMM039**

1 way set - bar support handle.
Chrome finish.



Ref.: **SMM039/BGM**

1 way set - bar support handle.
Black gun metal finish.



Ref.: **SMM039/NG**

1 way set - bar support handle.
Matt black finish.



Ref.: **SMM039/NQ**

1 way set - bar support handle.
Brushed nickel finish.



Ref.: **SMM039/OC**

1 way set - bar support handle.
Brushed gold finish.



Ref.: **SMM039/ORC**

1 way set - bar support handle.
Brushed rose gold finish.





TOSCANA

SERIES



TOSCANA

SERIES




TOSCANA

Series



Single-lever shower set.

- Stainless steel S.304 telescopic "SLIM" bar.
- Stainless steel S.304 shower head 20x30cm, extra-flat design and antilime system.
- Elevated adjustable support handle.
- Round 1 position shower hand.
- Single-lever with integrated flow-diverter.
- Medium flow rate 12 l/min.
- Hose 150cm.
- Single-lever ceramic cartridge $\varnothing 28$ mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

TOSCANA

Series

Ref.: **BDT064**

Single-lever shower set.
Chrome finish.



Ref.: **BDT064/BGM**

Single-lever shower set.
Black gun metal finish.



Ref.: **BDT064/NG**

Single-lever shower set.
Matt black finish.



Ref.: **BDT064/NQ**

Single-lever shower set.
Brushed nickel finish.



Ref.: **BDT064/OC**

Single-lever shower set.
Brushed gold finish.



Ref.: **BDT064/ORC**

Single-lever shower set.
Brushed rose gold finish.



TOSCANA

SERIES






TOSCANA

Series



Single-lever shower/bath set.

Stainless steel S.304 telescopic "SLIM" bar.
 Stainless steel S.304 shower head 20x30cm, extra-flat design and antilime system.
 Elevated adjustable support handle.
 Round 1 position shower hand.
 Brass single-lever with rotating bath spout.
 Round distributor.
 Medium flow rate 12 l/min.
 Hose 180cm.
 Single-lever ceramic cartridge Ø28 mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

TOSCANA

Series

Ref.: **BDT064-B**

Single-lever shower/bath set.
Chrome finish.



Ref.: **BDT064-B/BGM**

Single-lever shower/bath set.
Black gun metal finish.



Ref.: **BDT064-B/NG**

Single-lever shower/bath set.
Matt black finish.



Ref.: **BDT064-B/NQ**

Single-lever shower/bath set.
Brushed nickel finish.



Ref.: **BDT064-B/OC**

Single-lever shower/bath set.
Brushed gold finish.



Ref.: **BDT064-B/ORC**

Single-lever shower/bath set.
Brushed rose gold finish.



TOSCANA


SERIES






TOSCANA

Series



Thermostatic shower set.

Stainless steel S.304 telescopic "SLIM" bar.
 Stainless steel S.304 shower head 20x30cm, extra-flat design and antilime system.
 Elevated adjustable support handle.
 Round 1 position shower hand.
 Single-lever with integrated flow-diverter.
 Medium flow rate 12 l/min.
 Hose 150cm.
 Thermostatic cartridge TURN CLEAN SYSTEM.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009 UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009 UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009 UNE-EN 1111:2018

TOSCANA

Series

Ref.: **BTT064**

Thermostatic shower set.
Chrome finish.



Ref.: **BTT064/BGM**

Thermostatic shower set.
Black gun metal finish.



Ref.: **BTT064/NG**

Thermostatic shower set.
Matt black finish.



Ref.: **BTT064/NQ**

Thermostatic shower set.
Brushed nickel finish.



Ref.: **BTT064/OC**

Thermostatic shower set.
Brushed gold finish.



Ref.: **BTT064/ORC**

Thermostatic shower set.
Brushed rose gold finish.





TOSCANA

SERIES



TOSCANA

Series



Single-lever basin.

Single-lever basin.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

TOSCANA

Series



Single-lever bidet.

Single-lever bidet.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

TOSCANA

Series

Ref.: **BDT064-2**

Single-lever bidet.
Chrome finish.



Ref.: **BDT064-2BGM**

Single-lever bidet.
Black gun metal finish.



Ref.: **BDT064-2NG**

Single-lever bidet.
Matt black finish.



Ref.: **BDT064-2NQ**

Single-lever bidet.
Brushed nickel finish.




Ref.: **BDT064-2OC**

Single-lever bidet.
Brushed gold finish.




Ref.: **BDT064-2ORC**

Single-lever bidet.
Brushed rose gold finish.



Product sizes (cm)	26.7 x 18.1 x 5,9
Weight (leg)	0.89
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



TOSCANA

SERIES



TOSCANA

Series



Single-lever high basin.

Single-lever high basin.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

TOSCANA

Series

Ref.: **BDT064-3**

Single-lever high basin.
Chrome finish.



Ref.: **BDT064-3BGM**

Single-lever high basin.
Black gun metal finish.



Ref.: **BDT064-3NG**

Single-lever high basin.
Matt black finish.



Ref.: **BDT064-3NQ**

Single-lever high basin.
Brushed nickel finish.




Ref.: **BDT064-3OC**

Single-lever high basin.
Brushed gold finish.




Ref.: **BDT064-3ORC**

Single-lever high basin.
Brushed rose gold finish.



Product sizes (cm)	39 x 21 x 5,9
Weight (leg)	1.35
Guarantee	5 years
Max. preassure (bar)	5
Min. preassure (bar)	0.5
Optimum preassure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



TOSCANA

SERIES





HYDROVISIONE
SARDO

TOSCANA

Series



Two-handle basin

Two-handle faucet.
Brass body.
Ceramic mount.
Flexible hoses 3/8".

TOSCANA

Series



Two-handle high basin faucet

Two-handle high basin faucet. Brass body.
Ceramic mount.
Flexible hoses 3/8".

TOSCANA

Series

Ref.: **BAT064**

Two-handle high basin faucet.
Chrome finish.



Ref.: **BAT064/NQ**

Two-handle high basin faucet.
Brushed nickel finish.



Ref.: **BAT064/BGM**

Two-handle high basin faucet.
Black gun metal finish.



Ref.: **BAT064/OC**

Two-handle high basin faucet.
Brushed gold finish.




Ref.: **BAT064/NG**

Two-handle high basin faucet.
Matt black finish.




Ref.: **BAT064/ORC**

Two-handle high basin faucet.
Brushed rose gold finish.



Product sizes (cm)	42 x 25.5 x 7.5
Weight (leg)	2.35
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



TOSCANA

SERIES





TOSCANA

Series



Concealed single-lever basin.

Concealed single-lever faucet.
Brass body.
In two independent parts.
Concealed body directly into the wall.
Without register box.
Ceramic cartridge Ø35 mm.

TOSCANA

Series

Ref.: **GLT064**

Concealed single-lever basin.
Chrome finish.



Ref.: **GLT064/BGM**

Concealed single-lever basin.
Black gun metal finish.



Ref.: **GLT064/NG**

Concealed single-lever basin.
Matt black finish.



Ref.: **GLT064/NQ**

Concealed single-lever basin.
Brushed nickel finish.




Ref.: **GLT064/OC**

Concealed single-lever basin.
Brushed gold finish.




Ref.: **GLT064/ORC**

Concealed single-lever basin.
Brushed rose gold finish.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

Product sizes (cm)	29 x 17,6 x 6,7
Weight (leg)	1,1
Guarantee	5 years
Max. preassure (bar)	5
Min. preassure (bar)	0,5
Optimum preassure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C



TOSCANA

Series



Two-handle concealed basin.

Two-handle concealed basin.
Brass body.
Ceramic mount.
Flexible hoses 3/8".
Incluye box/caja de registro.

TOSCANA

Series

Ref.: **BPT064**

Two-handle concealed basin.
Chrome finish.



Ref.: **BPT064/BGM**

Two-handle concealed basin.
Black gun metal finish.



Ref.: **BPT064/NG**

Two-handle concealed basin.
Matt black finish.



Ref.: **BPT064/NQ**

Two-handle concealed basin.
Brushed nickel finish.




Ref.: **BPT064/OC**

Two-handle concealed basin.
Brushed gold finish.




Ref.: **BPT064/ORC**

Two-handle concealed basin.
Brushed rose gold finish.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

Product sizes (cm)	38 x 22 x 12
Weight (leg)	2.3
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C



TOSCANA

SERIES






TOSCANA

Series



Single-lever bath/shower kit.

Bath/shower kit faucet.
 Wall bracket ajustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Single-lever ceramic cartridge Ø35 mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

TOSCANA

Series

Ref.: **BDT064-4**

Single-lever bath/shower kit.
Chrome finish.



Ref.: **BDT064-4BGM**

Single-lever bath/shower kit.
Black gun metal finish.



Ref.: **BDT064-4NG**

Single-lever bath/shower kit.
Matt black finish.



Ref.: **BDT064-4NQ**

Single-lever bath/shower kit.
Brushed nickel finish.



Ref.: **BDT064-4OC**

Single-lever bath/shower kit.
Brushed gold finish.



Ref.: **BDT064-4ORC**

Single-lever bath/shower kit.
Brushed rose gold finish.



TOSCANA

SERIES






TOSCANA

Series



Single-lever shower kit.

Shower kit faucet.
 Wall bracket ajustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Single-lever ceramic cartridge Ø35 mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

TOSCANA

Series

Ref.: **BDT064-5**

Single-lever shower kit.
Chrome finish.



Ref.: **BDT064-5BGM**

Single-lever shower kit.
Black gun metal finish.



Ref.: **BDT064-5NG**

Single-lever shower kit.
Matt black finish.



Ref.: **BDT064-5NQ**

Single-lever shower kit.
Brushed nickel finish.



Ref.: **BDT064-5OC**

Single-lever shower kit.
Brushed gold finish.



Ref.: **BDT064-5ORC**

Single-lever shower kit.
Brushed rose gold finish.




TOSCANA

Series



Thermostatic shower kit.

Shower kit faucet.
 Wall bracket ajustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Thermostatic cartridge TURN CLEAN SYSTEM.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

TOSCANA

Series

Ref.: **BTT064-5**

Single-lever shower kit.
Chrome finish.



Ref.: **BTT064-5BGM**

Single-lever shower kit.
Black gun metal finish.



Ref.: **BTT064-5NG**

Single-lever shower kit.
Matt black finish.



Ref.: **BTT064-5NQ**

Single-lever shower kit.
Brushed nickel finish.



Ref.: **BTT064-5OC**

Single-lever shower kit.
Brushed gold finish.



Ref.: **BTT064-5ORC**

Single-lever shower kit.
Brushed rose gold finish.



TOSCANA

SERIES





TOSCANA

Series



Single-lever concealed shower.

Stainless steel S.304 shower head 25x40cm, extra-flat design and antilime system.

Wall outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.



Brass round distributor.

Hose 150cm.

Ceramic single-lever cartridge Ø35 mm.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



TOSCANA

Series

Ref.: **GPT064**

Single-lever concealed shower.
Chrome finish.



Ref.: **GPT064/BGM**

Single-lever concealed shower.
Black gun metal finish.



Ref.: **GPT064/NG**

Single-lever concealed shower.
Matt black finish.



Ref.: **GPT064/NQ**

Single-lever concealed shower.
Brushed nickel finish.



Ref.: **GPT064/OC**

Single-lever concealed shower.
Brushed gold finish.



Ref.: **GPT064/ORC**

Single-lever concealed shower.
Brushed rose gold finish.





AREZZO

Series



Single-lever concealed shower.

- Stainless steel S.304 shower head 25x40cm, extra-flat design and antilime system.
- Ceiling outlet tube.
- Round 1 position shower hand.
- Single-lever with 2 ways concealed box.
- Medium flow rate 20 l/min.
- Brass round distributor.
- Hose 150cm.
- Ceramic single-lever cartridge Ø35 mm.
- Wall bracket shower hand support with water outlet.
- Concealed body directly into the wall. With register box.



AREZZO

Series

Ref.: **GPA068**

Single-lever concealed shower.
Chrome finish.



Ref.: **GPA068/BGM**

Single-lever concealed shower.
Black gun metal finish.



Ref.: **GPA068/NG**

Single-lever concealed shower.
Matt black finish.



Ref.: **GPA068/NQ**

Single-lever concealed shower.
Brushed nickel finish.



Ref.: **GPA068/OC**

Single-lever concealed shower.
Brushed gold finish.



Ref.: **GPA068/ORC**

Single-lever concealed shower.
Brushed rose gold finish.



TOSCANA



SERIES





TOSCANA

Series



Thermostatic concealed shower.

Stainless steel S.304 shower head 25x40cm, extra-flat design and antilime system.

Wall outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.


Brass round distributor.

Hose 150cm.

Thermostatic cartridge TURN CLEAN SYSTEM.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



TOSCANA

Series

Ref.: **GTT064**

Thermostatic concealed shower.
Chrome finish.



Ref.: **GTT064/BGM**

Thermostatic concealed shower.
Black gun metal finish.



Ref.: **GTT064/NG**

Thermostatic concealed shower.
Matt black finish.



Ref.: **GTT064/NQ**

Thermostatic concealed shower.
Brushed nickel finish.



Ref.: **GTT064/OC**

Thermostatic concealed shower.
Brushed gold finish.



Ref.: **GTT064/ORC**

Thermostatic concealed shower.
Brushed rose gold finish.



AREZZO

Series



Thermostatic concealed shower.

Stainless steel S.304 shower head 25x40cm, extra-flat design and antilime system.

Ceiling outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.



Brass round distributor.

Hose 150cm.

Thermostatic cartridge TURN CLEAN SYSTEM.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



AREZZO

Series

Ref.: **GTA068**

Thermostatic concealed shower.
Chrome finish.



Ref.: **GTA068/BGM**

Thermostatic concealed shower.
Black gun metal finish.



Ref.: **GTA068/NG**

Thermostatic concealed shower.
Matt black finish.



Ref.: **GTA068/NQ**

Thermostatic concealed shower.
Brushed nickel finish.



Ref.: **GTA068/OC**

Thermostatic concealed shower.
Brushed gold finish.



Ref.: **GTA068/ORC**

Thermostatic concealed shower.
Brushed rose gold finish.



TOSCANA

SEIRES





TOSCANA

Series



Single-lever concealed shower.

Square spotlight shower head 76 x 76 mm, with Ø72 mm base and 1/2" connection.

Holder for hand shower / water outlet.


Single-function hand shower.

Two-way brass single-lever mixer tap.

Average flow rate: 10 L/min.

150 cm flexible hose.

Ø28 mm ceramic single-lever cartridge.



TOSCANA

Series

Ref.: **GPT064-T**

Single-lever concealed shower.
Chrome finish.



Ref.: **GPT064-T/BGM**

Single-lever concealed shower.
Black gun metal finish.



Ref.: **GPT064-T/NG**

Single-lever concealed shower.
Matt black finish.



Ref.: **GPT064-T/NQ**

Single-lever concealed shower.
Brushed nickel finish.



Ref.: **GPT064-T/OC**

Single-lever concealed shower.
Brushed gold finish.



Ref.: **GPT064-T/ORC**

Single-lever concealed shower.
Brushed rose gold finish.



TOSCANA

SEIRES






TOSCANA

Series



Single-lever 1 way concealed shower - handle bar.

Stainless steel S.304 round bar with water inlet.
Elevated adjustable support handle.
1 position shower hand.
Brass single-lever faucet.
Medium flow rate 10 l/min.
Hose 150cm.
Single-lever ceramic cartridge $\varnothing 28$ mm.



TOSCANA

Series

Ref.: **SMT064**

Single-lever 1 way concealed shower - showerhead (handle bar).
Chrome finish.



Ref.: **SMT064/BGM**

Single-lever 1 way concealed shower - showerhead (handle bar).
Black gun metal finish.



Ref.: **SMT064/NG**

Single-lever 1 way concealed shower - showerhead (handle bar).
Matt black finish.



Ref.: **SMT064/NQ**

Single-lever 1 way concealed shower - showerhead (handle bar).
Brushed nickel finish.



Ref.: **SMT064/OC**

Single-lever 1 way concealed shower - showerhead (handle bar).
Brushed gold finish.




Ref.: **SMT064/ORC**

Single-lever 1 way concealed shower - showerhead (handle bar).
Brushed rose gold finish.



TOSCANA

Series



Single-lever 1 way concealed shower - showerhead.

Stainless steel S.304 shower head 25x40cm, extra-flat design and antilime system.

Wall outlet tube.

Brass single-lever faucet.

Medium flow rate 12 l/min.

Single-lever ceramic cartridge $\varnothing 28$ mm.

TOSCANA

Series

Ref.: **SRT064**

Single-lever 1 way concealed shower - showerhead.
Chrome finish.



Ref.: **SRT064/BGM**

Single-lever 1 way concealed shower - showerhead.
Black gun metal finish.



Ref.: **SRT064/NG**

Single-lever 1 way concealed shower - showerhead.
Matt black finish.



Ref.: **SRT064/NQ**

Single-lever 1 way concealed shower - showerhead.
Brushed nickel finish.



Ref.: **SRT064/OC**

Single-lever 1 way concealed shower - showerhead.
Brushed gold finish.



Ref.: **SRT064/ORC**

Single-lever 1 way concealed shower - showerhead.
Brushed rose gold finish.



TOSCANA


Series



Concealed single-lever bidet.

Concealed single-lever faucet
Hot/Cold water.

1 position shower hand.
Hose PVC.
Brass body.
Concealed body directly into the wall.
Without register box.
Ceramic cartridge $\varnothing 25$ mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

TOSCANA

Series

Ref.: **RDT064**

Concealed single-lever bidet.
Chrome finish.



Ref.: **RDT064/BGM**

Concealed single-lever bidet.
Black gun metal finish.



Ref.: **RDT064/NG**

Concealed single-lever bidet.
Matt black finish.



Ref.: **RDT064/NQ**

Concealed single-lever bidet.
Brushed nickel finish.



Ref.: **RDT064/OC**

Concealed single-lever bidet.
Brushed gold finish.



Ref.: **RDT064/ORC**

Concealed single-lever bidet.
Brushed rose gold finish.





FIRENZE

SERIES





FIRENZE

SERIES




FIRENZE

Series



Single-lever shower set.

Stainless steel S.304 telescopic "SLIM" bar.
 Stainless steel S.304 shower head 20x30cm, extra-flat design and antilime system.
 Elevated adjustable support handle.
 Round 1 position shower hand.
 Single-lever with integrated flow-diverter.
 Medium flow rate 12 l/min.
 Hose 150cm.
 Single-lever ceramic cartridge Ø28 mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

FIRENZE

Series

Ref.: **BDF065**

Single-lever shower set.
Chrome finish.



Ref.: **BDF065/BGM**

Single-lever shower set.
Black gun metal finish.



Ref.: **BDF065/NG**

Single-lever shower set.
Matt black finish.



Ref.: **BDF065/NQ**

Single-lever shower set.
Brushed nickel finish.



Ref.: **BDF065/OC**

Single-lever shower set.
Brushed gold finish.



Ref.: **BDF065/ORC**

Single-lever shower set.
Brushed rose gold finish.



FIRENZE

SERIES






FIRENZE

Series



Single-lever shower/bath set.

Stainless steel S.304 telescopic "SLIM" bar.
 Stainless steel S.304 shower head 20x30cm, extra-flat design and antilime system.
 Elevated adjustable support handle.
 Round 1 position shower hand.
 Brass single-lever faucet.con caño de bañera plegable.
 Round distributor.
 Medium flow rate 12 l/min.
 Hose 180cm.
 Single-lever ceramic cartridge Ø28 mm.



TESTS PERFORMED

LEGISLATION

Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

FIRENZE

Series

Ref.: **BDF065-B**

Single-lever shower/bath set.
Chrome finish.



Ref.: **BBDF065-B/BGM**

Single-lever shower/bath set.
Black gun metal finish.



Ref.: **BDF065-B/NG**

Single-lever shower/bath set.
Matt black finish.



Ref.: **BBDF065-B/NQ**

Single-lever shower/bath set.
Brushed nickel finish.



Ref.: **BDF065-B/OC**

Single-lever shower/bath set.
Brushed gold finish.



Ref.: **BDF065-B/ORC**

Single-lever shower/bath set.
Brushed rose gold finish.



FIRENZE

SERIES





FIRENZE

Series

Ref.: **BTF065**

Thermostatic shower set. Chrome finish.



Ref.: **BTF065/BGM**

Thermostatic shower set.
Black gun metal finish.



Ref.: **BTF065/NG**

Thermostatic shower set.
Matt black finish.



Ref.: **BTDF065/NQ**

Thermostatic shower set.
Brushed nickel finish.



Ref.: **BTF065/OC**

Thermostatic shower set.
Brushed gold finish.



Ref.: **BTF065/ORC**

Thermostatic shower set.
Brushed gold finish.





FIRENZE

SERIES



FIRENZE

Series



Single-lever basin.

Single-lever basin.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

FIRENZE

Series

Ref.: **BDF065-1**

Single-lever basin.
Chrome finish.



Ref.: **BDF065-1NQ**

Single-lever basin.
Brushed nickel finish.



Ref.: **BDF065-1BGM**

Single-lever basin.
Black gun metal finish.



Ref.: **BDF065-10C**

Single-lever basin.
Brushed gold finish.




Ref.: **BDF065-1NG**

Single-lever basin.
Matt black finish.




Ref.: **BDF065-10RC**

Single-lever basin.
Brushed rose gold finish.



Product sizes (cm)	30 x 21 x 5,9
Weight (leg)	0,95
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0,5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



FIRENZE

Series



Single-lever bidet.

Single-lever bidet.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

FIRENZE

Series

Ref.: **BDF065-2**

Single-lever bidet.
Chrome finish.



Ref.: **BDF065-2BGM**

Single-lever bidet.
Black gun metal finish.



Ref.: **BDF065-2NG**

Single-lever bidet.
Matt black finish.



Ref.: **BDF065-2NQ**

Single-lever bidet.
Brushed nickel finish.




Ref.: **BDF065-2OC**

Single-lever bidet.
Brushed gold finish.




Ref.: **BDF065-2ORC**

Single-lever bidet.
Brushed rose gold finish.



Product sizes (cm)	26.7 x 18.1 x 5,9
Weight (kg)	0.89
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018





FIRENZE

SERIES



FIRENZE

Series



Single-lever high basin.

Single-lever high basin.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

FIRENZE

Series

Ref.: **BDF065-3**

Single-lever high basin.
Chrome finish.



Ref.: **BDF065-3NQ**

Single-lever high basin.
Brushed nickel finish.



Ref.: **BDF065-3BGM**

Single-lever high basin.
Black gun metal finish.



Ref.: **BDF065-3OC**

Single-lever high basin.
Brushed gold finish.




Ref.: **BDF065-3NG**

Single-lever high basin.
Matt black finish.




Ref.: **BDF065-3ORC**

Single-lever high basin.
Brushed rose gold finish.



Product sizes (cm)	39 x 21 x 5,9
Weight (leg)	1.35
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



FIRENZE

SERIES





FIRENZE

Series



Two-handle basin.

Two-handle faucet.
Brass body.
Ceramic mount.
Flexible hoses 3/8".

FIRENZE

Series

Ref.: **BBF065**

Two-handle basin.
Chrome finish.



Ref.: **BBF065/BGM**

Two-handle basin.
Black gun metal finish.



Ref.: **BBF065/NG**

Two-handle basin.
Matt black finish.



Ref.: **BBF065/NQ**

Two-handle basin.
Brushed nickel finish.




Ref.: **BBF065/OC**

Two-handle basin.
Brushed gold finish.




Ref.: **BBF065/ORC**

Two-handle basin.
Brushed rose gold finish.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

Product sizes (cm)	42 x 25.5 x 7.5
Weight (leg)	2.2
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C



FIRENZE

Series



Two-handle high basin faucet

Two-handle high basin faucet.
Brass body.
Ceramic mount.
Flexible hoses 3/8".

FIRENZE

Series

Ref: **BAF065**

Two-handle high basin faucet
Chrome finish.



Ref: **BAF065/BGM**

Two-handle high basin faucet
Black gun metal finish.



Ref: **BAF065/NG**

Two-handle high basin faucet
Matt black finish.



Ref: **BAF065/NQ**

Two-handle high basin faucet
Brushed nickel finish.




Ref: **BAF065/OC**

Two-handle high basin faucet
Brushed gold finish.




Ref: **BAF065/ORC**

Two-handle high basin faucet
Brushed rose gold finish.



Product sizes (cm)	42 x 25.5 x 7.5
Weight (leg)	2.35
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018







FIRENZE

SERIES

FIRENZE

Series



Concealed single-lever basin.

Concealed single-lever faucet.
Brass body.
In two independent parts.
Concealed body directly into the wall.
Without register box.
Ceramic cartridge Ø35 mm.

Ref.: **GLF065**

Concealed single-lever basin.
Chrome finish.



Ref.: **GLF065/BGM**

Concealed single-lever basin.
Black gun metal finish.



Ref.: **GLF065/NG**

Concealed single-lever basin.
Matt black finish.



Ref.: **GLF065/NQ**

Concealed single-lever basin.
Brushed nickel finish.




Ref.: **BGLF065/OC**

Concealed single-lever basin.
Brushed gold finish.




Ref.: **GLF065/ORC**

Concealed single-lever basin.
Brushed rose gold finish.



Product sizes (cm)	29 x 17.5 x 6.7
Weight (leg)	1.2
Guarantee	5 years
Max. preassure (bar)	5
Min. preassure (bar)	0.5
Optimum preassure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



FIRENZE

Series



Two-handle concealed basin.

Two-handle concealed basin
Brass body.
Ceramic mount.
Flexible hoses 3/8".
Incluye box/caja de registro.

FIRENZE

Series

Ref.: BPF065

Two-handle concealed basin.
Chrome finish.



Ref.: BPF065/NQ

Two-handle concealed basin.
Brushed nickel finish.



Ref.: BPF065/BGM

Two-handle concealed basin.
Black gun metal finish.



Ref.: BPF065/OC

Two-handle concealed basin.
Brushed gold finish.




Ref.: BPF065/NG

Two-handle concealed basin.
Matt black finish.




Ref.: BPF065/ORC

Two-handle concealed basin.
Brushed rose gold finish.



Product sizes (cm)	29 x 17.5 x 6.7
Weight (leg)	1.2
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018





FIRENZE

SERIES




FIRENZE

Series



Single-lever bath/shower kit.

Bath/shower kit faucet.
 Wall bracket adjustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Single-lever ceramic cartridge $\varnothing 35$ mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

FIRENZE

Series

Ref.: **BDF065-4**

Single-lever bath/shower kit.
Chrome finish.



Ref.: **BDF065-4BGM**

Single-lever bath/shower kit.
Black gun metal finish.



Ref.: **BDF065-4NG**

Single-lever bath/shower kit.
Matt black finish.



Ref.: **BDF065-4NQ**

Single-lever bath/shower kit.
Brushed nickel finish.



Ref.: **BDF065-4OC**

Single-lever bath/shower kit.
Brushed gold finish.



Ref.: **BDF065-4ORC**

Single-lever bath/shower kit.
Brushed rose gold finish.





FIRENZE

SERIES




FIRENZE

Series



Single-lever shower kit.

Shower kit faucet.
 Wall bracket ajustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Single-lever ceramic cartridge Ø35 mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

FIRENZE

Series

Ref.: **BDF065-5**

Single-lever shower kit.
Chrome finish.



Ref.: **BDF065-5BGM**

Single-lever shower kit.
Black gun metal finish.



Ref.: **BDF065-5NG**

Single-lever shower kit.
Matt black finish.



Ref.: **BDF065-5NQ**

Single-lever shower kit.
Brushed nickel finish.



Ref.: **BDF065-5OC**

Single-lever shower kit.
Brushed gold finish.



Ref.: **BDF065-5ORC**

Single-lever shower kit.
Brushed rose gold finish.




FIRENZE

Series



Thermostatic shower kit.

Shower kit faucet.
 Wall bracket ajustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Thermostatic cartridge TURN CLEAN SYSTEM.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

FIRENZE

Series

Ref.: **BTF065-5**

Thermostatic shower kit.
Chrome finish.



Ref.: **BTF065-5BGM**

Thermostatic shower kit.
Black gun metal finish.



Ref.: **BTF065-5NG**

Thermostatic shower kit.
Matt black finish.



Ref.: **BTF065-5NQ**

Thermostatic shower kit.
Brushed nickel finish.



Ref.: **BTF065-5OC**

Thermostatic shower kit.
Brushed gold finish.



Ref.: **BTF065-5ORC**

Thermostatic shower kit.
Brushed rose gold finish.







FIRENZE

SERIES


FIRENZE

Series



Single-lever concealed shower.

- Stainless steel S.304 shower head 25x40cm, extra-flat design and antilime system.
- Wall outlet tube.
- Round 1 position shower hand.
- Single-lever with 2 ways concealed box.
- Medium flow rate 20 l/min.
- Brass round distributor.
- Hose 150cm.
- Ceramic single-lever cartridge $\varnothing 35$ mm.
- Wall bracket shower hand support with water outlet.
- Concealed body directly into the wall. With register box.



FIRENZE

Series

Ref.: **GPF065**

Single-lever concealed shower.
Chrome finish.



Ref.: **GPF065/BGM**

Single-lever concealed shower.
Black gun metal finish.



Ref.: **GPF065/NG**

Single-lever concealed shower.
Matt black finish.



Ref.: **GPF065/NQ**

Single-lever concealed shower.
Brushed nickel finish.



Ref.: **GPF065/OC**

Single-lever concealed shower.
Brushed gold finish.



Ref.: **GPF065/ORC**

Single-lever concealed shower.
Brushed rose gold finish.



SASSARI

Series



Single-lever concealed shower.

Stainless steel S.304 shower head 25x40cm, extra-flat design and antilime system.

Ceiling outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.



Brass round distributor.

Hose 150cm.

Ceramic single-lever cartridge Ø35 mm.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



Ref.: **GPS069**

Single-lever concealed shower.
Chrome finish.



Ref.: **GPS069/BGM**

Single-lever concealed shower.
Black gun metal finish.



Ref.: **GPS069/NG**

Single-lever concealed shower.
Matt black finish.



Ref.: **GPS069/NQ**

Single-lever concealed shower.
Brushed nickel finish.



Ref.: **GPS069/OC**

Single-lever concealed shower.
Brushed gold finish.



Ref.: **GPS069/ORC**

Single-lever concealed shower.
Brushed rose gold finish.






FIRENZE

SERIES




FIRENZE

Series



Thermostatic concealed shower.

Stainless steel S.304 shower head 25x40cm, extra-flat design and antilime system.
 Wall outlet tube.
 Round 1 position shower hand.
 Single-lever with 2 ways concealed box.
 Medium flow rate 20 l/min.
 Brass round distributor.
 Hose 150cm.
 Thermostatic cartridge TURN CLEAN SYSTEM.
 Wall bracket shower hand support with water outlet.
 Concealed body directly into the wall. With register box.



FIRENZE

Series

Ref.: **GTF065**

Thermostatic concealed shower.
Chrome finish.



Ref.: **GTF065/BGM**

Thermostatic concealed shower.
Black gun metal finish.



Ref.: **GTF065/NG**

Thermostatic concealed shower.
Matt black finish.



Ref.: **GTF065/NQ**

Thermostatic concealed shower.
Brushed nickel finish.



Ref.: **GTF065/OC**

Thermostatic concealed shower.
Brushed gold finish.



Ref.: **GTF065/ORC**

Thermostatic concealed shower.
Brushed rose gold finish.



SASSARI

Series



Thermostatic concealed shower.

Stainless steel S.304 shower head 25x40cm, extra-flat design and antilime system.

Ceiling outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.



Brass round distributor.

Hose 150cm.

Thermostatic cartridge TURN CLEAN SYSTEM.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



Ref.: **GTS069**

Thermostatic concealed shower.
Chrome finish.



Ref.: **GTS069/BGM**

Thermostatic concealed shower.
Black gun metal finish.



Ref.: **GTS069/NG**

Thermostatic concealed shower.
Matt black finish.



Ref.: **GTS069/NQ**

Thermostatic concealed shower.
Brushed nickel finish.



Ref.: **GTS069/OC**

Thermostatic concealed shower.
Brushed gold finish.




Ref.: **GTS069/ORC**

Thermostatic concealed shower.
Brushed rose gold finish.



FIRENZE

Series



Single-lever 1 way concealed shower - showerhead.

Stainless steel S.304 shower head 25x40cm, extra-flat design and antilime system.

Wall outlet tube.

Brass single-lever faucet.

Medium flow rate 12 l/min.

Single-lever ceramic cartridge \varnothing 28 mm.

FIRENZE

Series

Ref.: **SRF065**

Single-lever 1 way concealed shower - shower head.
Chrome finish.



Ref.: **SRF065/BGM**

Single-lever 1 way concealed shower - shower head.
Black gun metal finish.



Ref.: **SRF065/NG**

Single-lever 1 way concealed shower - shower head.
Matt black finish.



Ref.: **SRF065/NQ**

Single-lever 1 way concealed shower - shower head.
Brushed nickel finish.



Ref.: **SRF065/OC**

Single-lever 1 way concealed shower - shower head.
Brushed gold finish.



Ref.: **SRF065/ORC**

Single-lever 1 way concealed shower - shower head.
Brushed rose gold finish.




FIRENZE

Series



Single-lever 1 way concealed shower - handle bar.

Stainless steel S.304 round bar with water inlet.
Elevated adjustable support handle.
1 position shower hand.
Brass single-lever faucet.
Medium flow rate 10 l/min.
Hose 150cm.
Single-lever ceramic cartridge $\varnothing 28$ mm.



FIRENZE

Series

Ref.: **SMF065**

Single-lever 1 way concealed shower - showerhead (handle bar).
Chrome finish.



Ref.: **SMF065/BGM**

Single-lever 1 way concealed shower - showerhead (handle bar).
Black gun metal finish.



Ref.: **SMF065/NG**

Single-lever 1 way concealed shower - showerhead (handle bar).
Matt black finish.



Ref.: **SMF065/NQ**

Single-lever 1 way concealed shower - showerhead (handle bar).
Brushed nickel finish.



Ref.: **SMF065/OC**

Single-lever 1 way concealed shower - showerhead (handle bar).
Brushed gold finish.




Ref.: **SMF065/ORC**

Single-lever 1 way concealed shower - showerhead (handle bar).
Brushed rose gold finish.




FIRENZE

Series



Concealed single-lever bidet

Concealed single-lever bidet.
Hot/Cold water.
1 position shower hand.
Hose PVC.
Brass body.
Concealed body directly into the wall.
Without register box.
Ceramic cartridge $\varnothing 25$ mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

FIRENZE

Series

Ref.: **RDF065**

Concealed single-lever bidet.
Chrome finish.



Ref.: **RDF065/BGM**

Concealed single-lever bidet.
Black gun metal finish.



Ref.: **RDF065/NG**

Concealed single-lever bidet.
Matt black finish.



Ref.: **RDF065/NQ**

Concealed single-lever bidet.
Brushed nickel finish.



Ref.: **RDF065/OC**

Concealed single-lever bidet.
Brushed gold finish.



Ref.: **RDF065/ORC**

Concealed single-lever bidet.
Brushed rose gold finish.



BLESS

SERIES





BLESS

SERIES






BLESS

Series



Single-lever shower set.

- Stainless steel S.304 telescopic bar.
- Stainless steel S.304 shower head Ø20 cm, extra flat design and antilime system.
- Elevated adjustable support handle.
- Round 1 position shower hand.
- Single-lever with integrated flow-diverter.
- Medium flow rate 12 l/min.
- Hose 150cm.
- Single-lever ceramic cartridge Ø35 mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

BLESS

Series

Ref.: **BDB063**

Single-lever shower set.
Chrome finish.



Ref.: **BDB063/BGM**

Single-lever shower set.
Black gun metal finish.



Ref.: **BDB063/NG**

Single-lever shower set.
Matt black finish.



Ref.: **BDB063/NQ**

Single-lever shower set.
Brushed nickel finish.



Ref.: **BDB063/OC**

Single-lever shower set.
Brushed gold finish.



Ref.: **BDB063/ORC**

Single-lever shower set.
Brushed rose gold finish.



BLESS

SERIES






BLESS

Series



Thermostatic shower set.

- Stainless steel S.304 extensible round bar.
- Stainless steel S.304 shower head Ø20 cm, extra flat design and antilime system.
- Elevated adjustable support handle.
- Round 1 position shower hand.
- Thermostatic with integrated flow-diverter
- Medium flow rate 12 l/min.
- Hose 150cm.
- Thermostatic cartridge TURN CLEAN SYSTEM.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

BLESS

Series

Ref.: **BTB063**

Thermostatic shower set.
Chrome finish.



Ref.: **BTB063/BGM**

Thermostatic shower set.
Black gun metal finish.



Ref.: **BTB063/NG**

Thermostatic shower set.
Matt black finish.



Ref.: **BTB063/NQ**

Thermostatic shower set.
Brushed nickel finish.



Ref.: **BTB063/OC**

Thermostatic shower set.
Brushed gold finish.



Ref.: **BTB063/ORC**

Thermostatic shower set.
Brushed rose gold finish.






BLESS

SERIES



BLESS

Series



Single-lever basin.

Single-lever basin.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

Ref.: **BDB063-1**

Single-lever basin.
Chrome finish.



Ref.: **BDB063-1NQ**

Single-lever basin.
Brushed nickel finish.



Ref.: **BDB063-1BGM**

Single-lever basin.
Black gun metal finish.



Ref.: **BDB063-1OC**

Single-lever basin.
Brushed gold finish.




Ref.: **BDB063-1NG**

Single-lever basin.
Matt black finish.




Ref.: **BDB063-1ORC**

Single-lever basin.
Brushed rose gold finish.



Product sizes (cm)	30 x 21 x 5,9
Weight (leg)	0.935
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



BLESS

Series



Single-lever bidet.

Single-lever bidet.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

Ref.: **BDB063-2**

Single-lever bidet.
Chrome finish.



Ref.: **BDB063-2NQ**

Single-lever bidet.
Brushed nickel finish.



Ref.: **BDB063-2BGM**

Single-lever bidet.
Black gun metal finish.



Ref.: **BDB063-2OC**

Single-lever bidet.
Brushed gold finish.




Ref.: **BDB063-2NG**

Single-lever bidet.
Matt black finish.




Ref.: **BDB063-2ORC**

Single-lever bidet.
Brushed rose gold finish.



Product sizes (cm)	26.7 x 18.1 x 5,9
Weight (leg)	0.885
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018





BYREDO
BAL D'AFRIQUE
CREME MAINS
HAND CREAM



BLESS

SERIES

BLESS

Series



Single-lever high basin.

Single-lever high basin.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

Ref.: **BDB063-3**

Single-lever high basin.
Chrome finish.



Ref.: **BDB063-3BGM**

Single-lever high basin.
Black gun metal finish.



Ref.: **BDB063-3NG**

Single-lever high basin.
Matt black finish.



Ref.: **BDB063-3NQ**

Single-lever high basin.
Brushed nickel finish.




Ref.: **BDB063-3OC**

Single-lever high basin.
Brushed gold finish.




Ref.: **BDB063-3ORC**

Single-lever high basin.
Brushed rose gold finish.



Product sizes (cm)	39 x 21 x 5,9
Weight (leg)	1.153
Guarantee	5 years
Max. preassure (bar)	5
Min. preassure (bar)	0.5
Optimum preassure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



BLESS

SERIES





BLESS

Series



Single-lever basin.

Concealed single-lever faucet.
Brass body.
In two independent parts.
Concealed body directly into the wall.
Without register box.
Ceramic cartridge $\varnothing 35$ mm.

Ref.: **GLB063**

Concealed single-lever basin.
Chrome finish.



Ref.: **GLB063/BGM**

Concealed single-lever basin.
Black gun metal finish.



Ref.: **GLB063/NG**

Concealed single-lever basin.
Matt black finish.



Ref.: **GLB063/NQ**

Concealed single-lever basin.
Brushed nickel finish.




Ref.: **GLB063/OC**

Concealed single-lever basin.
Brushed gold finish.




Ref.: **GLB063/ORC**

Concealed single-lever basin.
Brushed rose gold finish.



Product sizes (cm)	29 x 17,5 x 6,7
Weight (leg)	1.1
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



BLESS

SERIES






BLESS

Series



Single-lever bath/shower kit.

Bath/shower kit faucet.
 Wall bracket ajustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Single-lever ceramic cartridge $\varnothing 35$ mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

BLESS

Series

Ref.: **BDB063-4**

Single-lever bath/shower kit.
Chrome finish.



Ref.: **BDB063-4BGM**

Single-lever bath/shower kit.
Black gun metal finish.



Ref.: **BDB063-4NG**

Single-lever bath/shower kit.
Matt black finish.



Ref.: **BDB063-4NQ**

Single-lever bath/shower kit.
Brushed nickel finish.



Ref.: **BDB063-4OC**

Single-lever bath/shower kit.
Brushed gold finish.



Ref.: **BDB063-4ORC**

Single-lever bath/shower kit.
Brushed rose gold finish.




BLESS

Series



Thermostatic bath/shower kit.

Bath/shower kit faucet.
 Wall bracket adjustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Thermostatic cartridge TURN CLEAN SYSTEM.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

Ref.: **BTB063-4**

Thermostatic bath/shower kit.
Chrome finish.



Ref.: **BTB063-4BGM**

Thermostatic bath/shower kit.
Black gun metal finish.



Ref.: **BTB063-4NG**

Thermostatic bath/shower kit.
Matt black finish.



Ref.: **BTB063-4NQ**

Thermostatic bath/shower kit.
Brushed nickel finish.



Ref.: **BTB063-4OC**

Thermostatic bath/shower kit.
Brushed gold finish.



Ref.: **BTB063-4ORC**

Thermostatic bath/shower kit.
Brushed rose gold finish.



BLESS

SERIES




BLESS

Series



Single-lever shower kit.

Shower kit faucet.
 Wall bracket adjustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Single-lever ceramic cartridge $\varnothing 35$ mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

BLESS

Series

Ref.: **BDB063-5**

Single-lever shower kit.
Chrome finish.



Ref.: **BDB063-5BGM**

Single-lever shower kit.
Black gun metal finish.



Ref.: **BDB063-5NG**

Single-lever shower kit.
Matt black finish.



Ref.: **BDB063-5NQ**

Single-lever shower kit.
Brushed nickel finish.



Ref.: **BDB063-5OC**

Single-lever shower kit.
Brushed gold finish.



Ref.: **BDB063-5ORC**

Single-lever shower kit.
Brushed rose gold finish.




BLESS

Series



Thermostatic shower kit.

Shower kit faucet.
 Wall bracket adjustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Thermostatic cartridge TURN CLEAN SYSTEM.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

BLESS

Series

Ref.: **BTB063-5**

Thermostatic shower kit.
Chrome finish.



Ref.: **BTB063-5BGM**

Thermostatic shower kit.
Black gun metal finish.



Ref.: **BTB063-5NG**

Thermostatic shower kit.
Matt black finish.



Ref.: **BTB063-5NQ**

Thermostatic shower kit.
Brushed nickel finish.



Ref.: **BTB063-5OC**

Thermostatic shower kit.
Brushed gold finish.



Ref.: **BTB063-5ORC**

Thermostatic shower kit.
Brushed rose gold finish.



BLESS

SERIES





BLESS Series

Ref.: **GPB063**

Single-lever concealed shower.
Chrome finish.



Ref.: **GPB063/BGM**

Single-lever concealed shower.
Black gun metal finish.



Ref.: **GPB063/NG**

Single-lever concealed shower.
Matt black finish.



Ref.: **GPB063/NQ**

Single-lever concealed shower.
Brushed nickel finish.



Ref.: **GPB063/OC**

Single-lever concealed shower.
Brushed gold finish.




Ref.: **GPB063/ORC**

Single-lever concealed shower.
Brushed rose gold finish.



PALAU

Series



Single-lever concealed shower.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.

Ceiling outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.


Brass round distributor.

Hose 150cm.

Ceramic single-lever cartridge Ø35 mm.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



Ref.: **GPP063**

Single-lever concealed shower.
Chrome finish.



Ref.: **GPP063/BGM**

Single-lever concealed shower.
Black gun metal finish.



Ref.: **GPP063/NG**

Single-lever concealed shower.
Matt black finish.



Ref.: **GPP063/NQ**

Single-lever concealed shower.
Brushed nickel finish.



Ref.: **GPP063/OC**

Single-lever concealed shower.
Brushed gold finish.



Ref.: **GPP063/ORC**

Single-lever concealed shower.
Brushed rose gold finish.



BLESS

SERIES





BLESS

Series



Thermostatic concealed shower.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.

Wall outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.


Brass round distributor.

Hose 150cm.

Thermostatic cartridge TURN CLEAN SYSTEM.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



BLESS

Series

Ref.: **GTB063**

Thermostatic concealed shower.
Chrome finish.



Ref.: **GTB063/BGM**

Thermostatic concealed shower.
Black gun metal finish.



Ref.: **GTB063/NG**

Thermostatic concealed shower.
Matt black finish.



Ref.: **GTB063/NQ**

Thermostatic concealed shower.
Brushed nickel finish.



Ref.: **GTB063/OC**

Thermostatic concealed shower.
Brushed gold finish.




Ref.: **GTB063/ORC**

Thermostatic concealed shower.
Brushed rose gold finish.



PALAU

Series



Thermostatic concealed shower.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.

Ceiling outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.


Brass round distributor.

Hose 150cm.

Thermostatic cartridge TURN CLEAN SYSTEM.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



Ref.: **GTP063**

Thermostatic concealed shower.
Chrome finish.



Ref.: **GTP063/BGM**

Thermostatic concealed shower.
Black gun metal finish.



Ref.: **GTP063/NG**

Thermostatic concealed shower.
Matt black finish.



Ref.: **GTP063/NQ**

Thermostatic concealed shower.
Brushed nickel finish.



Ref.: **GTP063/OC**

Thermostatic concealed shower.
Brushed gold finish.





Ref.: **GTP063/ORC**

Thermostatic concealed shower.
Brushed rose gold finish.



BLESS

Series



1 way set - shower head.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.

Wall outlet tube.

Brass single-lever faucet.

Medium flow rate 12 l/min.

Single-lever ceramic cartridge Ø35 mm.

BLESS

Series

Ref.: **SRB063**

1 way set - shower head.
Chrome finish.



Ref.: **SRB063/BGM**

1 way set - shower head.
Black gun metal finish.



Ref.: **SRB063/NG**

1 way set - shower head.
Matt black finish.



Ref.: **SRB063/NQ**

1 way set - shower head.
Brushed nickel finish.



Ref.: **SRB063/OC**

1 way set - shower head.
Brushed gold finish.




Ref.: **SRB063/ORC**

1 way set - shower head.
Brushed rose gold finish.



BLESS

Series



1 way set - bar support handle.

Stainless steel S.304 round bar with water inlet.
Elevated adjustable support handle.

1 position shower hand.
Brass single-lever faucet.
Medium flow rate 10 l/min.

Hose 150cm.
Single-lever ceramic cartridge $\varnothing 35$ mm.

BLESS

Series

Ref.: **SMB063**

1 way set - bar support handle.
Chrome finish.



Ref.: **SMB063/BGM**

1 way set - bar support handle.
Black gun metal finish.



Ref.: **SMB063/NG**

1 way set - bar support handle.
Matt black finish.



Ref.: **SMB063/NQ**

1 way set - bar support handle.
Brushed nickel finish.



Ref.: **SMB063/OC**

1 way set - bar support handle.
Brushed gold finish.




Ref.: **SMB063/ORC**

1 way set - bar support handle.
Brushed rose gold finish.



BLESS

Series



Concealed single-lever bidet.

Single-lever concealed faucet.

Hot/Cold water.

1 position shower hand.


Hose PVC.

Brass body.

Concealed body directly into the wall.

Without register box.

Ceramic cartridge Ø25 mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

BLESS

Series

Ref.: **RDB063**

Concealed single-lever bidet.
Chrome finish.



Ref.: **RDB063/BGM**

Concealed single-lever bidet.
Black gun metal finish.



Ref.: **RDB063/NG**

Concealed single-lever bidet.
Matt black finish.



Ref.: **RDB063/NQ**

Concealed single-lever bidet.
Brushed nickel finish.



Ref.: **RDB063/OC**

Concealed single-lever bidet.
Brushed gold finish.



Ref.: **RDB063/ORC**

Concealed single-lever bidet.
Brushed rose gold finish.





GENOVA

SERIES



GENOVA


SERIES






GENOVA

Series



Single-lever shower set.

Stainless steel S.304 telescopic bar.
 Stainless steel S.304 shower head Ø20 cm, extra flat design and antilime system.
 Elevated adjustable support handle.
 Round 1 position shower hand.
 Single-lever with integrated flow-diverter.
 Medium flow rate 12 l/min.
 Hose 150cm.
 Single-lever ceramic cartridge Ø35 mm.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

GENOVA

Series

Ref.: **BDG053**

Single-lever shower set.
Chrome finish.



Ref.: **BDG053/NQ**

Single-lever shower set.
Brushed nickel finish.



Ref.: **BDG053/BGM**

Single-lever shower set.
Black gun metal finish.



Ref.: **BDG053/NG**

Single-lever shower set.
Matt black finish.



Ref.: **BDG053/OC**

Single-lever shower set.
Brushed gold finish.



Ref.: **BDG053/ORC**

Single-lever shower set.
Brushed rose gold finish.






GENOVA

SERIES




GENOVA

Series



Thermostatic shower set.

Stainless steel S.304 extensible round bar.
 Stainless steel S.304 shower head Ø20 cm, extra flat design and antilime system.
 Elevated adjustable support handle.
 Round 1 position shower hand.
 Thermostatic with integrated flow-diverter
 Medium flow rate 12 l/min.
 Hose 150cm.
 Thermostatic cartridge TURN CLEAN SYSTEM.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

GENOVA

Series

Ref.: **BTG053**

Thermostatic shower set.
Chrome finish.



Ref.: **BTG053/BGM**

Thermostatic shower set.
Black gun metal finish.



Ref.: **BTG053/NG**

Thermostatic shower set.
Matt black finish.



Ref.: **BTG053/NQ**

Thermostatic shower set.
Brushed nickel finish.



Ref.: **BTG053/OC**

Thermostatic shower set.
Brushed gold finish.



Ref.: **BTG053/ORC**

Thermostatic shower set.
Brushed rose gold finish.



GENOVA

SERIES





GENOVA


Series



Single-lever basin.

Single-lever basin.
Brass body.
Ceramic cartridge $\varnothing 26$ mm TOP.
Flexible hoses 3/8".

Cold open.



GENOVA

Series

Ref.: **BDG053-1**

Single-lever basin.
Chrome finish.



Ref.: **BDG053-1NQ**

Single-lever basin.
Brushed nickel finish.



Ref.: **BDG053-1BGM**

Single-lever basin.
Black gun metal finish.



Ref.: **BDG053-1OC**

Single-lever basin.
Brushed gold finish.




Ref.: **BDG053-1NG**

Single-lever basin.
Matt black finish.




Ref.: **BDG053-1ORC**

Single-lever basin.
Brushed rose gold finish.



Product sizes (cm)	30 x 21 x 5,9
Weight (leg)	0.92
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



GENOVA

Series



Single-lever bidet.

Single-lever bidet.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

Cold open.

GENOVA

Series

Ref.: **BDG053-2**

Single-lever bidet.
Chrome finish.



Ref.: **BDG053-2NQ**

Single-lever bidet.
Brushed nickel finish.




Ref.: **BDG053-2BGM**

Single-lever bidet.
Black gun metal finish.



Ref.: **BDG053-2OC**

Single-lever bidet.
Brushed gold finish.





Ref.: **BDG053-2NG**

Single-lever bidet.
Matt black finish.




Ref.: **BDG053-2ORC**

Single-lever bidet.
Brushed rose gold finish.



Product sizes (cm)	26.7 x 18.1 x 5,9
Weight (leg)	0,9
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0,5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



GENOVA

SERIES





GENOVA

Series



Single-lever high basin.

Single-lever high basin.
Brass body.
Ceramic cartridge Ø26 mm TOP.
Flexible hoses 3/8".

Cold open.

GENOVA

Series

Ref.: **BDG053-3**

Single-lever high basin.
Chrome finish.



Ref.: **BDG053-3BGM**

Single-lever high basin.
Black gun metal finish.



Ref.: **BDG053-3NG**

Single-lever high basin.
Matt black finish.



Ref.: **BDG053-3NQ**

Single-lever high basin.
Brushed nickel finish.




Ref.: **BDG053-3OC**

Single-lever high basin.
Brushed gold finish.




Ref.: **BDG053-3ORC**

Single-lever high basin.
Brushed rose gold finish.



Product sizes (cm)	39 x 21 x 5,9
Weight (leg)	1.2
Guarantee	5 years
Max. pressure (bar)	5
Min. pressure (bar)	0.5
Optimum pressure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C

TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018



GENOVA

SERIES





GENOVA

Series



Concealed single-lever basin.

Concealed single-lever faucet.
Brass body.
In two independent parts.
Concealed body directly into the wall.
Without register box.
Ceramic cartridge $\varnothing 35$ mm.
Cold open.

GENOVA

Series

Ref.: **GLG053**

Concealed single-lever basin.
Chrome finish.



Ref.: **GLG053/NQ**

Concealed single-lever basin.
Brushed nickel finish.



Ref.: **GLG053/BGM**

Concealed single-lever basin.
Black gun metal finish.



Ref.: **GLG053/OC**

Concealed single-lever basin.
Brushed gold finish.




Ref.: **GLG053/NG**

Concealed single-lever basin.
Matt black finish.




Ref.: **GLG053/ORC**

Concealed single-lever basin.
Brushed rose gold finish.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

Product sizes (cm)	29 x 17,5 x 6,7
Weight (leg)	1.7
Guarantee	5 years
Max. preassure (bar)	5
Min. preassure (bar)	0.5
Optimum preassure (bar)	1-4 (recommended 3)
Max. temperature	85°C
Recommended	65°C






GENOVA

SERIES


GENOVA

Series



Single-lever bath/shower kit.

Bath/shower kit faucet.
Wall bracket ajustable ABS shower hand support.
Round 1 position shower hand.
Hose 180cm.
Medium flow rate 12 l/min.
Single-lever ceramic cartridge $\varnothing 35$ mm.



GENOVA

Series

Ref.: **BDG053-4**

Single-lever bath/shower kit.
Chrome finish.



Ref.: **BDG053-4BGM**

Single-lever bath/shower kit.
Black gun metal finish.



Ref.: **BDG053-4NG**

Single-lever bath/shower kit.
Matt black finish.



Ref.: **BDG053-4NQ**

Single-lever bath/shower kit.
Brushed nickel finish.



Ref.: **BDG053-4OC**

Single-lever bath/shower kit.
Brushed gold finish.



Ref.: **BDG053-4ORC**

Single-lever bath/shower kit.
Brushed rose gold finish.




GENOVA

Series



Thermostatic bath/shower kit.

Bath/shower kit faucet.
 Wall bracket ajustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Thermostatic cartridge TURN CLEAN SYSTEM.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

GENOVA

Series

Ref.: **BTG053-4**

Thermostatic bath/shower kit.
Chrome finish.



Ref.: **BTG053-4BGM**

Thermostatic bath/shower kit.
Black gun metal finish.



Ref.: **BTG053-4NG**

Thermostatic bath/shower kit.
Matt black finish.



Ref.: **BTG053-4NQ**

Thermostatic bath/shower kit.
Brushed nickel finish.



Ref.: **BTG053-4OC**

Thermostatic bath/shower kit.
Brushed gold finish.



Ref.: **BTG053-4ORC**

Thermostatic bath/shower kit.
Brushed rose gold finish.






GENOVA

SERIES




GENOVA

Series



Single-lever shower kit.

Brass shower faucet.
Wall bracket adjustable ABS shower hand support.
Round 1 position shower hand.
Hose 180cm.
Medium flow rate 12 l/min.
Single-lever ceramic cartridge $\varnothing 35$ mm.



GENOVA

Series

Ref.: **BDG053-5**

Single-lever shower kit.
Chrome finish.



Ref.: **BDG053-5BGM**

Single-lever shower kit.
Black gun metal finish.



Ref.: **BDG053-5NG**

Single-lever shower kit.
Matt black finish.



Ref.: **BDG053-5NQ**

Single-lever shower kit.
Brushed nickel finish.



Ref.: **BDG053-5OC**

Single-lever shower kit.
Brushed gold finish.



Ref.: **BDG053-5ORC**

Single-lever shower kit.
Brushed rose gold finish.




GENOVA

Series



Thermostatic shower kit.

Brass shower faucet.
 Wall bracket ajustable ABS shower hand support.
 Round 1 position shower hand.
 Hose 180cm.
 Medium flow rate 12 l/min.
 Thermostatic cartridge TURN CLEAN SYSTEM.



TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

GENOVA

Series

Ref.: **BTG053-5**

Thermostatic shower kit.
Chrome finish.



Ref.: **BTG053-5BGM**

Thermostatic shower kit.
Black gun metal finish.



Ref.: **BTG053-5NG**

Thermostatic shower kit.
Matt black finish.



Ref.: **BTG053-5NQ**

Thermostatic shower kit.
Brushed nickel finish.



Ref.: **BTG053-5OC**

Thermostatic shower kit.
Brushed gold finish.



Ref.: **BTG053-5ORC**

Thermostatic shower kit.
Brushed rose gold finish.



GENOVA


SERIES





GENOVA

Series



Single-lever concealed shower.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.

Wall outlet tube.

Round 1 position shower hand.

Single-lever with 2 ways concealed box.

Medium flow rate 20 l/min.


Brass round distributor.

Hose 150cm.

Ceramic single-lever cartridge Ø35 mm.

Wall bracket shower hand support with water outlet.

Concealed body directly into the wall. With register box.



GENOVA

Series

Ref.: **GPG053**

Single-lever concealed shower.
Chrome finish.



Ref.: **GPG053/BGM**

Single-lever concealed shower.
Black gun metal finish.



Ref.: **GPG053/NG**

Single-lever concealed shower.
Matt black finish.



Ref.: **GPG053/NQ**

Single-lever concealed shower.
Brushed nickel finish.



Ref.: **GPG053/OC**

Single-lever concealed shower.
Brushed gold finish.




Ref.: **GPG053/ORC**

Single-lever concealed shower.
Brushed rose gold finish.




PIAMONTE

Series



Single-lever concealed shower.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.
 Ceiling outlet tube.
 Round 1 position shower hand.
 Single-lever with 2 ways concealed box.
 Medium flow rate 20 l/min.
 Brass round distributor.
 Hose 150cm.
 Ceramic single-lever cartridge Ø35 mm.
 Wall bracket shower hand support with water outlet.
 Concealed body directly into the wall. With register box.



PIAMONTE

Series

Ref.: **GPP059**

Single-lever concealed shower.
Chrome finish.



Ref.: **GPP059/BGM**

Single-lever concealed shower.
Black gun metal finish.



Ref.: **GPP059/NG**

Single-lever concealed shower.
Matt black finish.



Ref.: **GPP059/NQ**

Single-lever concealed shower.
Brushed nickel finish.



Ref.: **GPP059/OC**

Single-lever concealed shower.
Brushed gold finish.



Ref.: **GPP059/ORC**

Single-lever concealed shower.
Brushed rose gold finish.







GENOVA

SERIES

GENOVA

Series

Ref.: **GTG053**

Thermostatic concealed shower.
Chrome finish.



Ref.: **GTG053/BGM**

Thermostatic concealed shower.
Black gun metal finish.



Ref.: **GTG053/NG**

Thermostatic concealed shower.
Matt black finish.



Ref.: **GTG053/NQ**

Thermostatic concealed shower.
Brushed nickel finish.



Ref.: **GTG053/OC**

Thermostatic concealed shower.
Brushed gold finish.




Ref.: **GTG053/ORC**

Thermostatic concealed shower.
Brushed rose gold finish.




PIAMONTE

Series



Thermostatic concealed shower.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.
 Ceiling outlet tube.
 Round 1 position shower hand.
 Single-lever with 2 ways concealed box.
 Medium flow rate 20 l/min.
 Brass round distributor.
 Hose 150cm.
 Thermostatic cartridge TURN CLEAN SYSTEM.
 Wall bracket shower hand support with water outlet.
 Concealed body directly into the wall. With register box.



PIAMONTE

Series

Ref.: **GTP059**

Thermostatic concealed shower.
Chrome finish.



Ref.: **GTP059/BGM**

Thermostatic concealed shower.
Black gun metal finish.



Ref.: **GTP059/NG**

Thermostatic concealed shower.
Matt black finish.



Ref.: **GTP059/NQ**

Thermostatic concealed shower.
Brushed nickel finish.



Ref.: **GTP059/OC**

Thermostatic concealed shower.
Brushed gold finish.






Ref.: **GTP059/ORC**

Thermostatic concealed shower.
Brushed rose gold finish.



GENOVA

Series



1 way set - shower head.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.

Wall outlet tube.

Brass single-lever faucet.

Medium flow rate 12 l/min.

Single-lever ceramic cartridge Ø28 mm.

GENOVA

Series

Ref.: **SRG053**

1 way set - shower head.
Chrome finish.



Ref.: **SRG053/BGM**

1 way set - shower head.
Black gun metal finish.



Ref.: **SRG053/NG**

1 way set - shower head.
Matt black finish.



Ref.: **SRG053/NQ**

1 way set - shower head.
Brushed nickel finish.



Ref.: **SRG053/OC**

1 way set - shower head.
Brushed gold finish.





Ref.: **SRG053/ORC**

1 way set - shower head.
Brushed rose gold finish.



GENOVA

Series



1 way set - bar support handle.

Stainless steel S.304 round bar with water inlet.

Elevated adjustable support handle.

1 position shower hand.

Brass single-lever faucet.

Medium flow rate 10 l/min.

Hose 150cm.

Single-lever ceramic cartridge Ø28 mm.

GENOVA

Series

Ref.: **SMG053**

1 way set - bar support handle.
Chrome finish.



Ref.: **SMG053/BGM**

1 way set - bar support handle.
Black gun metal finish.



Ref.: **SMG053/NG**

1 way set - bar support handle.
Matt black finish.



Ref.: **SMG053/NQ**

1 way set - bar support handle.
Brushed nickel finish.



Ref.: **SMG053/OC**

1 way set - bar support handle.
Brushed gold finish.




Ref.: **SMG053/ORC**

1 way set - bar support handle.
Brushed rose gold finish.



GENOVA

Series



Concealed single-lever bidet.

Single-lever concealed faucet.

Hot/Cold water.

1 position shower hand.


Hose PVC.

Brass body.

Concealed body directly into the wall.

Without register box.

Ceramic cartridge Ø25 mm.




TESTS PERFORMED	LEGISLATION
Corrosion resistance (NSS)	UNE-EN 248:2003
Watertightness	UNE-EN 817:2009
	UNE-EN 1111:2018
Mechanical resistance under pressure	UNE-EN 817:2009
	UNE-EN 1111:2018
Torsional resistance of op. mechanism	UNE-EN 817:2009
Jet dispersion	UNE-EN 19703:2016
Flow rate	UNE-EN 817:2009
	UNE-EN 1111:2018

GENOVA

Series

Ref.: **RDG053**

Concealed single-lever bidet.
Chrome finish.



Ref.: **RDG053/BGM**

Concealed single-lever bidet.
Black gun metal finish.



Ref.: **RDG053/NG**

Concealed single-lever bidet.
Matt black finish.



Ref.: **RDG053/NQ**

Concealed single-lever bidet.
Brushed nickel finish.



Ref.: **RDG053/OC**

Concealed single-lever bidet.
Brushed gold finish.



Ref.: **RDG053/ORC**

Concealed single-lever bidet.
Brushed rose gold finish.



BOLONIA

SERIES







BOLONIA

Series



Thermostatic shower set.

Stainless steel S.304 shower head Ø33 cm, 15mm thick and antilime system with 160x160 mm square trim plate, 1/2" thread.
Fixed support handle.
Round 3 positions shower hand.
Thermostatic with integrated flow-diverter
Medium flow rate 12 l/min.
Hose 150cm.
Thermostatic cartridge TURN CLEAN SYSTEM.



Ref.: **GTB066**

Thermostatic shower set.
Chrome finish.



Ref.: **GTB066/BGM**

Thermostatic shower set.
Black gun metal finish.



Ref.: **GTB066/NG**

Thermostatic shower set.
Matt black finish.



Ref.: **GTB066/OC**

Thermostatic shower set.
Brushed gold finish.



Ref.: **GTB066/ORC**

Thermostatic shower set.
Brushed rose gold finish.



INARI

SERIES





INARI

Series



Thermostatic shower set.

Stainless steel S.304 shower head Ø33 cm, 15mm thick and antilime system with 160x160 mm square trim plate, 1/2" thread.

Round 3 positions shower hand.

Thermostatic with integrated flow-diverter

Medium flow rate 12 l/min.

Hose 150cm.

Thermostatic cartridge TURN CLEAN SYSTEM.



Round 1 position shower hand.

Thermostatic with integrated flow-diverter

Medium flow rate 12 l/min.

Hose 150cm.

Thermostatic cartridge TURN CLEAN SYSTEM.



Ref.: **GTI067**

Thermostatic shower set.
Chrome finish.



Ref.: **GTI067/BGM**

Thermostatic shower set.
Black gun metal finish.



Ref.: **GTI067/NG**

Thermostatic shower set.
Matt black finish.



Ref.: **GTI067/OC**

Thermostatic shower set.
Brushed gold finish.



Ref.: **GTI067/ORC**

Thermostatic shower set.
Brushed rose gold finish.



AZORES

SERIES







AZORES

Series



Thermostatic shower set.

Stainless steel S.304 spotlight round shower head Ø80mm, antilime.
With 1/2" thread and base Ø72mm.
Fixed support handle.
Round 3 positions shower hand.
Thermostatic with integrated flow-diverter
Medium flow rate 12 l/min.
Hose 150cm.
Thermostatic cartridge TURN CLEAN SYSTEM.



AZORES

Series

Ref.: **GTA070**

Thermostatic shower set.
Chrome finish.



Ref.: **GTA070/BGM**

Thermostatic shower set.
Black gun metal finish.



Ref.: **GTA070/NG**

Thermostatic shower set.
Matt black finish.



Ref.: **GTA070/OC**

Thermostatic shower set.
Brushed gold finish.



Ref.: **GTA070/ORC**

Thermostatic shower set.
Brushed rose gold finish.





ACCESSORIES





LINE

Series



1 way set - shower head.

Stainless steel S.304 Ø250 mm, extra flat and antilime system shower head.

Wall outlet tube.

Brass body.

Medium flow rate 12 l/min.

Ceramic single-lever cartridge Ø28 mm.

Ref.: **SRD038**

1 way set - shower head.
Chrome finish.



Ref.: **SRD038/BGM**

1 way set - shower head.
Black gun metal finish.



Ref.: **SRD038/NG**

1 way set - shower head.
Matt black finish.



Ref.: **SRD038/NQ**

1 way set - shower head.
Brushed nickel finish.



Ref.: **SRD038/OC**

1 way set - shower head.
Brushed gold finish.





Ref.: **SRD038/ORC**

1 way set - shower head.
Brushed rose gold finish.



LINE

Series



1 way set - bar support handle.

Stainless steel S.304 round bar with water inlet.

Elevated adjustable support handle.

1 position shower hand.

Brass single-lever faucet.

Medium flow rate 10 l/min.

Hose 150cm.

Single-lever ceramic cartridge Ø28 mm.

Ref.: **SMD038**

1 way set - bar support handle.
Chrome finish.



Ref.: **SMD038/BGM**

1 way set - bar support handle.
Black gun metal finish.



Ref.: **SMD038/NG**

1 way set - bar support handle.
Matt black finish.



Ref.: **SMD038/NQ**

1 way set - bar support handle.
Brushed nickel finish.



Ref.: **SMD038/OC**

1 way set - bar support handle.
Brushed gold finish.



Ref.: **SMD038/ORC**

1 way set - bar support handle.
Brushed rose gold finish.



BELGICA

Series



1 way set - shower head.

Stainless steel S.304 shower head Ø25cm, extra-flat design and antilime system.

Wall outlet tube.

Brass single-lever faucet.

Medium flow rate 12 l/min.

Single-lever ceramic cartridge Ø28 mm.



1 way set - bar support handle.

Stainless steel S.304 round bar with water inlet.

Elevated adjustable support handle.

1 position shower hand.

Brass single-lever faucet.

Medium flow rate 10 l/min.

Hose 150cm.




Single-lever ceramic cartridge Ø28 mm.

BELGICA

Series

Ref.: **SRZ044**

1 way set - shower head.
Chrome finish.





Ref.: **SRZ044/NG**

1 way set - shower head.
Matt black finish.



Ref.: **SMZ044**

1 way set - bar support handle.
Chrome finish.



Ref.: **SMZ044/NG**

1 way set - bar support handle.
Matt black finish.



ADUR

Series

Ref.: **BDD001**
Bar support handle.
Chrome finish.



Ref.: **BDD001/BGM**
Bar support handle.
Black gun metal finish.



Ref.: **BDD001/NG**
Bar support handle.
Matt black finish.



Ref.: **BDD001/NQ**
Bar support handle.
Brushed nickel finish.




Ref.: **BDD001/OC**
Bar support handle.
Brushed gold finish.



Ref.: **BDD001/ORC**
Bar support handle.
Brushed rose gold finish.




Bar support handle.
Stainless steel S.304 bar support handle.
Elevated adjustable support handle.



DRAVA

Series



Bar support handle.

Stainless steel S.304 extra-flat bar support handle.
Elevated adjustable support handle.

Ref.: **BDD002**

Bar support handle.
Chrome finish.



Ref.: **BDD002/BGM**

Bar support handle.
Black gun metal finish.



Ref.: **BDD002/NG**

Bar support handle.
Matt black finish.



Ref.: **BDD002/NQ**

Bar support handle.
Brushed nickel finish.



Ref.: **BDD002/OC**

Bar support handle.
Brushed gold finish.



Ref.: **BDD002/ORC**

Bar support handle.
Brushed rose gold finish.



ARIZONA

Series

Ref.: **MDA020**

Shower hand.
Chrome finish.



Ref.: **MDA020/BGM**

Shower hand.
Black gun metal finish.



Ref.: **MDA020/NG**

Shower hand.
Matt black finish.



Ref.: **MDA020/NQ**

Shower hand.
Brushed nickel finish.



Ref.: **MDA020/OC**

Shower hand.
Brushed gold finish.



Ref.: **MDA020/ORC**

Shower hand.
Brushed rose gold finish.



Arizona shower hand.
3 positions shower hand.
ABS hand shower, ergonomic and anti-lime.
Dimensions Ø12 cm.



PORTLAND

Series

Ref.: **MDP021**

Shower hand.
Chrome finish.



Ref.: **MDP021/BGM**

Shower hand.
Black gun metal finish.



Ref.: **MDP021/NG**

Shower hand.
Matt black finish.



Ref.: **MDP021/NQ**

Shower hand.
Brushed nickel finish.



Ref.: **MDP021/OC**

Shower hand.
Brushed gold finish.




Ref.: **MDP021/ORC**

Shower hand.
Brushed rose gold finish.



Portland shower hand.
3 positions shower hand.
ABS hand shower, ergonomic and anti-lime.
Dimensions 12x12 mm.



GENOVA

Series

Ref.: **MDV014**

Shower hand.
Chrome finish.



Ref.: **MDV014/BGM**

Shower hand.
Black gun metal finish.



Ref.: **MDV014/NG**

Shower hand.
Matt black finish.



Ref.: **MDV014/NQ**

Shower hand.
Brushed nickel finish.



Ref.: **MDV014/OC**

Shower hand.
Brushed gold finish.




Ref.: **MDV014/ORC**

Shower hand.
Brushed rose gold finish.



Genova shower hand.
1 position shower hand.
ABS hand shower, ergonomic and anti-lime.



Ref.: **MDH013**

Shower hand.
Chrome finish.



Ref.: **MDH013/BGM**

Shower hand.
Black gun metal finish.



Ref.: **MDH013/NG**

Shower hand.
Matt black finish.



Ref.: **MDH013/NQ**

Shower hand.
Brushed nickel finish.



Ref.: **MDH013/OC**

Shower hand.
Brushed gold finish.




Ref.: **MDH013/ORC**

Shower hand.
Brushed rose gold finish.



Henk shower hand.
1 position shower hand.
ABS hand shower, ergonomic and anti-lime.



TUBE

Series

Ref.: **RDN007**

Round shower head.
Chrome finish.



Ref.: **RDN007/BGM**

Round shower head.
Black gun metal finish.



Ref.: **RDN007/NG**

Round shower head.
Matt black finish.



Stainless steel S.304 spotlight round shower head, anti-lime.
1/2" connection with Ø72mm base.
Tilt range from 8 to 48°.
Cylinder dimensions: Ø76 mm x 150 mm.


Ref.: **RDN007/OC**

Round shower head.
Brushed gold finish.



Ref.: **RDN007/ORC**

Round shower head.
Brushed rose gold finish.



TUBE Series

Ref.: **RDC007**

Square shower head.
Chrome finish.



Ref.: **RDC007/BGM**

Square shower head.
Black gun metal finish.



Ref.: **RDC007/NG**

Square shower head.
Matt black finish.



Stainless steel S.304 spotlight square shower head, anti-lime.
1/2" connection with Ø72mm base.
Tilt range from 8 to 48°.
Dimensions: Ø76 mm x 150 mm.




Ref.: **RDC007/OC**

Square shower head.
Brushed gold finish.



Ref.: **RDC007/ORC**

Square shower head.
Brushed rose gold finish.



SHOWER HEADS

Series

Ref.: **RDR001**

Rectangular 20x30cm shower head.
Chrome finish.



Ref.: **RDR001/BGM**

Rectangular 20x30cm shower head.
Black gun metal finish.



Ref.: **RDR001/NG**

Rectangular 20x30cm shower head.
Matt black finish.



Ref.: **RDR001/NQ**

Rectangular 20x30cm shower head.
Brushed nickel finish.



Ref.: **RDR001/OC**

Rectangular 20x30cm shower head.
Brushed gold finish.



Ref.: **RDR001/ORC**

Rectangular 20x30cm shower head.
Brushed rose gold finish.



Ref.: **RDR002**

Rectangular 25x40cm shower head.
Chrome finish.



Ref.: **RDR002/BGM**

Rectangular 25x40cm shower head.
Black gun metal finish.



Ref.: **RDR002/NG**

Rectangular 25x40cm shower head.
Matt black finish.



Ref.: **RDR002/NQ**

Rectangular 25x40cm shower head.
Brushed nickel finish.



Ref.: **RDR002/OC**

Rectangular 25x40cm shower head.
Brushed gold finish.



Ref.: **RDR002/ORC**

Rectangular 25x40cm shower head.
Brushed rose gold finish.



SHOWER HEADS

Series

Ref.: **RDN006**

Round shower head.
Chrome finish.



Ref.: **RDN006/BGM**

Round shower head.
Black gun metal finish.



Ref.: **RDN006/NG**

Round shower head.
Matt black finish.



Round shower head Ø33 cm x 15 mm thick.
1/2" connection.
Square base 16 x 16 cm.
248 mm wall mount.

The shower head is only compatible with the 240 mm wall mount, ref. BPC008.


Ref.: **RDN006/OC**

Round shower head.
Brushed gold finish.



Ref.: **RDN006/ORC**

Round shower head.
Brushed rose gold finish.



COMPLEMENTS

Series



Ref.: **ERL001**
Overflow washbasin cover.
Chrome finish.
Material : Brass and ABS



Ref.: **ERL001/NG**
Overflow washbasin cover.
Matt black finish.
Material : Brass and ABS



Ref.: **ERL001/NQ**
Overflow washbasin cover.
Brushed nickel finish.
Material : Brass and ABS






Ref.: **ERL001/OC**
Overflow washbasin cover.
Brushed gold finish.
Material : Brass and ABS



Ref.: **ERL001/BGM**
Overflow washbasin cover.
Black gun metal finish.
Material : Brass and ABS



Ref.: **ERL001/ORC**
Overflow washbasin cover.
Brushed rose gold finish.
Material : Brass and ABS



EXHIBITORS

Series



Ref: 1EXP0027



Ref: 1EXP0031

EXHIBITORS

Series



Ref.: 1EXP0028



Ref.: 1EXP0025



Ref.: 1EXP0029



Ref.: 1EXP0002-B

5 valves + 5 single-lever basin MONZA. (Nickel finition not included).

Ref.: 1EXP0006-B

10 valve display.
(Valves not included).

Ref.: 1EXP0007-B

10 valve display.
(Valves included).

EXHIBITORS

Series



Ref.: 1EXP0036



Ref.: 1EXP0037



Ref.: 1EXP0038



Ref.: 1EXP0034

GENERAL TERMS AND CONDITIONS OF SALES

DELIVERIES

Check the products at reception. The carrier shall enter any possible anomaly in the delivery order. No claim against us shall be receivable in the above mentioned points shall not have been observed.

SALES RETURNS

In case of a return specify clearly the reason.

IMEX will accept any return that complies with the following requirements:

The product shall be any manufacturing defect.

The original packaging shall be in perfect conditions. If not, a 10% surcharge shall be applied in the invoice by the concept of reception, review and manipulation.

PAYMENT FORM

The receipt will be issued throughout a banking entity. Bank draft within a maximum of 30 days invoice date. Collection maximum 30 days invoice date, essential domiciled bank draft.

Any unpaid will result the payment of the invoice and any banking costs incurred and the retention of all purchase orders until the payment of the pendant balance.

LAW COURTS

In case of litigation both parties will submit to the jurisdiction of the Court of Picassent, Valencia.

UPDATE AND COLLECTIONS MAINTENANCE

MOLDING CHANGES

Some of the articles supplied by IMEX PRODUCTS, S.L. may have non-substantial modifications of some of their components compared to the photographs published in the catalogue.

IMEX PRODUCTS, S.L. reserves the right to make such changes in order to improve the design and functionality of the product, as well as its sales conditions.

IMEX, in constant development and with the aim of consolidating itself among the leading companies in the sector, has strengthened its ties with major industry leaders.

This partnership with manufacturers of faucet components such as **SEDAL** (cartridges), **TUCAI** (hoses), and **NEOPERL** (aerators) further establishes IMEX as a global benchmark. We remain committed to continuous development by combining our ideas and designs with the support and expertise of renowned brands in the faucet industry.

CLEANING AND MAINTENANCE TIPS

Imex Products recommends using non-abrasive cleaning products with a neutral Ph, which will not damage our products, to clean our faucet in matt black or matt white finishes.

Following the product manufacturer indications, it is highly recommended to use a microfibre cloth and to always dry the product. In this way we will extend the faucet' life.

Demonstration video



